

LiteLogy

Cordless table lamp

New design models

From Xinhaoli



BC961W

Iron mesh table lamp

Two levels dimming

material: Aluminum alloy+iron

Size: D80xH340mm

Color: black/white/gold

Power: 2600mAH -USB cord

Voltage: DC:5V

consumption: 3.5W

Light Flux: 200LM

LED temp.: 2700K



BC963AT



Smart digital table lamp
timer function

material: Aviation aluminium+acrylic

Size: D110xH356mm

Color: black/white/grey/golden

Power:5200mAH -USB C

Voltage: DC:5V

Current: 700mA

consumption: 3.5W

Light Flux: 218 LM

LED temp.: 2700K

Waterproof: IP54



BC963-M

Magnetic rotation table lamp

Material: Aviation aluminium+acrylic

Size: D100xH380mm

Color: black/white/grey/golden

Power:5200mAH -USB C

Voltage: DC:5V

Current: 700mA

consumption: 3.5W

Light Flux: 218 LM

LED temp.: 2700K

Waterproof: IP54



BC963A-M

Magnetic rotation table lamp
material: Aviation aluminium+acrylic
Size: D100xH356mm
Color: black/white/grey/golden
Power:5200mAH -USB C
Voltage: DC:5V
Current: 700mA
consumption: 3.5W
Light Flux: 218 LM
LED temp.: 2700K
Waterproof: IP54



BC963B-M

Magnetic rotation table lamp

Material: Aviation aluminium+acrylic

Size: D100xH380mm

Color: black/white/grey/golden

Power:5200mAH -USB C

Voltage: DC:5V

Current: 700mA

consumption: 3.5W

Light Flux: 218 LM

LED temp.: 2700K

Waterproof: IP54

BC963T



Transparent table lamp
material: Acrylic
Size: D100xH380mm
Color: black/grey/orange
Power:5200mAH -USB C
Voltage: DC:5V
Current: 700mA
consumption: 3.5W
Light Flux: 218 LM
LED temp.: 2700K
Waterproof: IP54



BC963C

Ceramic table lamp
material: Iron+ceramic
Size: D280xH365mm
Power:5200mAH -USB C
Voltage: DC:5V
Current: 700mA
consumption: 3.5W
Light Flux: 218 LM
LED temp.: 2700K
Waterproof: IP54



BC963AP

Rechargeable table lamp
Material: aluminium+PC
Size: D120xH350mm
Color: black/white/grey
Power:4000mAH -USB C
Voltage: DC:5V
Current: 440mA
consumption: 2.2W
Light Flux: 218 LM
LED temp.: 2700K
Waterproof: IP54



BC974

Rechargeable Ball table lamp
2-level dimming
material: Aviation aluminium+PE
Size: D150*H395mm
Color: Black/White/Brown
Power:2600mAH -USB C
Voltage: DC:5V
Current: 700mA
consumption: 3.5W
Light Flux: 138 LM
LED temp.: 2700K
Waterproof: IP54



BC983

Portable rechargeable lantern
touch dimmer/switch
material: Aviation aluminium+PC
Size: D125X117XXH270mm
Color: silver
Power: 4400mAH -USB C
Voltage: DC:5V
Current: 700mA
consumption: 3.5W
Light Flux: 240 LM
LED temp.: 2700K
Waterproof: IP54

BC993



Rechargeable luckdoor lamp
touch switch/ warm white
material: Aviation aluminium
Size: D100*H420mm
Color:white/black/gold
Power: 5200mAH -DC charge port
Voltage: DC:5V
Current: 700mA
consumption: 3.5W
Light Flux: 200 LM
LED temp.: 2700K
Waterproof: IP54



BC996

Portable vintage lantern

material: Aviation aluminium+PC

Size: D160*H386mm

Color:white/black/Brown

Power: 5200mAH -USB C

Voltage: DC:5V

Current: 700mA

consumption: 3.5W

Light Flux: 220 LM

LED temp.: 2700K

Waterproof: IP54



BC997

Rechargeable Lantern lamp

touch switch/soft handle

material: Aviation aluminium+PC

Size: D120*H300mm

Color:white/black/brown

Power: 4400mAH -USB C

Voltage: DC:5V

Current: 800mA

consumption: 4W

Light Flux: 250 LM

LED temp.: 2700K

Waterproof: IP60



BC1002W



Squire pyramid wall lamp
Top switch/touch stepless dimming
material: Aluminium+acrylic
Size: L110*W110*H175mm
Color:black/white/grey
Power: 5200mAH -USB C
Input Voltage: DC:5V
Power Watt: 3.5W
RA: 80
Light Flux: 200LM
LED temp.: 2700K
Waterproof: IP54

BC1002H



Squire pyramid Hanging lamp
Top switch/touch stepless dimming
material: Aluminium+acrylic
Size: L110*W210*H210mm
Color:black/white/grey
Power: 5200mAH -USB C
Input Voltage: DC:5V
Power Watt: 3.5W
RA: 80
Light Flux: 200LM
LED temp.: 2700K
Waterproof: IP54



BC1002R



Squire adjustable table lamp
Top switch/touch stepless dimming
material: Aluminium+acrylic
Size: L130xH360mm
Color:black
Power: 5200mAH -USB C
Input Voltage: DC:5V
Power Watt: 3.5W
RA: 80
Light Flux: 200LM
LED temp.: 2700K
Waterproof: IP54



BC1009B



Paling table lamp
touch on/off,hold stepless dimming
material: Aviation aluminium +PC
Size: D100*H368mm
Color: black/brown/white
Power: 5000mAH -USB C
Voltage: DC:5V
Current: 700mA
consumption: 3.5W
Light Flux: 160LM
LED temp.: 2700K
Waterproof: IP54



BC1010



LED faucet lamp
Rotating stepless dimming
material: Aluminium+acrylic
Size: 20**H350mm
Color: black
Power: 2600mA
Voltage: DC5V
Current: 440mA
consumption: 2.2W
LED temp.: 2700K
Waterproof: IP54

BC1013



Rechargeable dinner table lamp
Touch Switch, Powerful battery
material: Aluminium+acrylic
Size: D130xH360mm
Color:black/white/grey/golden
Power:5200mAH -USB C
Voltage: DC:5V
Current: 700mA
consumption: 3.5W
Light Flux: 218 LM
LED temp.: 2700K
Waterproof: IP54

BC1014



Rechargeable emergency lamp

3 step dimming

Material:iron+linen

Size: D151x H404mm

Color: black lampshade

Power:10000mAH

Maxlight time: 300h

Min brightness: 5 LM

Consumption: 6W

LED temp.:4000K

lamp holder: E27



BC1015



Rechargeable Lantern lamp

Push control, Portable/Three gears switch

material: Aluminium+PC

Size: D128*W120*H230mm

Color:silver

Power: 4400mAH -USB C

Voltage: DC:5V

Current: 600mA

consumption: 3W

Light Flux: 200 LM

LED temp.: 2700K-6500K

Waterproof: IP54

BC1016



Traditional table lamp
Touch stepless dimming
material: Aluminium+PC
Size: D120xH370mm
Color:white
Power: 5200mAH -USB C
Voltage: DC:5V
Current: 700mA
consumption: 3.5W
Light Flux: 200 LM
LED temp.: 3000K
Waterproof: IP54



BC1017



Magnetic strip rotating table lamp

Touch stepless dimming

material: Aluminium+PC

Size: D130xH330mm

Color:black

Power: 5200mAH -USB C

Voltage: DC:5V

Current: 800mA

consumption: 4W

LED temp.: 2700K

Waterproof: IP54

BC1018



Bluetooth speaker table lamp

Touch stepless dimming

material: Aluminium+acrylic

Size: D160xH330mm

Color:white

Power: 5000mAH -USB C

Voltage: DC:5V

Current: 600mA

consumption: 3W

LED temp.: 2700K

Waterproof: IP54

BC1019



Jellyf table lamp

Touch stepless dimming

material: Acrylic+PC

Size: D110xH320mm

Color:golden/silver/grey

Power: 5000mAH -USB C

Voltage: DC:5V

Current: 700mA


consumption: 3.5W

LED temp.: 2700K

Waterproof: IP54



BC1020



Pillar table lamp
rotating ring dimmer switch
Material: Aluminium+acrylic
Size: D50xD120xH306mm
Color:golden/silver/grey
Power: 5200mAH -USB C
Voltage: DC:5V
Current: 800mA
consumption: 4W
LED temp.: 2700K
Waterproof: IP54



BC1021

Tumbleman night table lamp

3 levels LED color

Material: Aluminium+PC

Size: D120xH190mm

Color:white/silver/grey

Power: 5200mAH -USB C

Voltage: DC:5V

Current: 700mA

consumption: 3.5W

LED temp.: 2700K+4000K+5500K

Waterproof: IP54



BC1022

Waterip table lamp

Touch stepless dimming

material: Aluminium (Die Casting)+acrylic

Size: D110xH350mm

Color:golden/silver/grey

Power: 5200mAH -USB C

Voltage: DC:5V

Current: 700mA

consumption: 3.5W

LED temp.: 2700K

Waterproof: IP54



BC1023

Glass table lamp

Touch stepless dimming

material: Aluminium+glass

Size: D120xH365mm

Color:Sliver

Power: 5200mAH -USB C

Voltage: DC:5V

Current: 600mA

consumption: 3W

LED temp.: 2700K

Waterproof: IP54



BC1024

Wine cup table lamp

Touch stepless dimming

material: Aluminium+PC

Size: D150xH348mm

Color:Black

Power: 5200mAH -USB C


Voltage: DC:5V

Current: 700mA

consumption: 3.5W

LED temp.: 2700K

Waterproof: IP54



BC1025

mini street light table lamp

Touch stepless dimming

Material: Aluminium+Acrylic+PC

Size: D120x130xH370mm

Power: 5000mAH -USB C


Voltage: DC:5V

Current: 700mA

consumption: 3.5W

LED temp.: 2700K

Waterproof: IP54



BC1026

Acrylic table lamp

Button switch.2 levels brightness

Material: Aluminium+Acrylic

Size: D125xH328mm

Color:Blue/black

Power: 5200mAH -USB C

Voltage: DC:5V

Current: 800mA

consumption: 4W

LED temp.: 2700K

Waterproof: IP54



BC1027

Magnetic rotating table lamp

Touch stepless dimming

material: Aluminium+PC

Size: D104xH355mm

Color:black/white/brown

Power: 2600mAH -USB C

Voltage: DC:5V

Current: 700mA

consumption: 3.5W

LED temp.: 2700K

Waterproof: IP54

BC1028



Starry sky table lamp

3 lighting position with stepless dimming

material: Aluminium+acrylic

Size: D85xH360mm

Color:black/white/brown

Power: 5000mAH -USB C

Voltage: DC:5V

Current: 1000mA

consumption: 5W

LED temp.: 2700K

Waterproof: IP54

BC1028H

Hourglass night lamp

3-levels Switch

material: Aluminium+ABS

Size: D83*H120mm

Color:black/white/grey

Power: 2500mAH -USB

Input Voltage: DC:5V

Power Watt: 2.5W


RA: 80

Light Flux: 150LM

LED temp.: 2700K/6500K/4600K

Waterproof: IP54





BC1029

Square Pillar Light

Touch stepless dimming, 3 kinds of led colors

Material: Aluminium+acrylic

Size: D110xH271mm

Color: black/white

Power: 2600mAH -USB C

Voltage: DC:5V

Current: 300mA

Consumption: 1.5W

LED temp.: 2700K-5000K

Waterproof: IP54



BC1030

Round Pillar Light

Touch stepless dimming, 3 kinds of led colors

Material: Aluminium+acrylic

Size: D110xH282mm

Color: black/white

Power: 2600mAH -USB C

Voltage: DC:5V

Current: 300mA

Consumption: 1.5W

LED temp.: 2700K-5000K

Waterproof: IP54



BC1032

Pleat fabric lampshade table lamp

2 Levels dimming

Material: Aluminium+fabric

Size: D85xH295mm

Color:Golden/silver

Power: 2600mAH

Voltage: DC:5V

Current: 700mA

consumption: 3.5W

LED temp.: 2700K



BC1035



Fabric lampshade dinner light

Pull switch

Material: Aviation aluminium+fabric

Size: D110xH372mm

LED color: 2700K

Power:3000mAH -USB C

Voltage: DC:5V

Current: 500mA

Consumption: 2.5W

Light Flux: 150LM

LED temp.: 2700K

BC1036



Rechargeable fabric wine bottle lamp

Silicone switch

Material:ABS+cloth

Size: D135*150mm

Color:black/white

Power:2200mAH-TYPE-C

Input Voltage: DC:5V

Power Watt: 2.2W

RA: 80

Light Flux: 160LM

LED temp.: 2700K

Waterproof: IP54



BC1037



Skirt lamp

Touch Switch, die casting

Material: Aluminium+acrylic

Size: D110*H370mm

Color: black/white/grey

Power: 4000mAH -USB

Input Voltage: DC:5V

Power Watt: 2.5W

RA: 80

Light Flux: 200LM

LED temp.: 2700K

Waterproof: IP54



BC1501



Round head wireless charging lamp
Brightness Buffer/Stepless Dimming
material: Aluminium+acrylic
Size: D150*W150*H380mm
Color: black
Power: 12V/2APower Adapter
Voltage: DC:12V/2A
Current: 3000mA
consumption: 8W
Light Flux: 400LM
LED temp.: 3000K
Waterproof: IP54



BC1502



Irradiation desk lamp
Two-speed dimming/USB plug-in
material: Aluminum alloy
Size: D130*W60*H310mm
Color: black
Power: 18V/0.5A Adapter
Voltage: DC:18V
Current: 0.5A
consumption: 9W
Light Flux: 400LM
LED temp.: 3000K
Waterproof: IP54